TeX code compiled with \documentclass{beamer} using the Amsterdam theme.

```
<nowiki> \begin{document}
```

```
\begin{frame}
```

```
\large Beginning at time $t=0$, a particle moves along the number
line so that its position after $t$ seconds is
$$f(t)=t^3-15t^2+72t$$
\vskip 15pt
```

```
\begin{enumerate}[a)]
\intem Find the velocity and acceleration at time $t$.
\intem At what time(s) is the particle moving 3 units/sec in the negative direction?
\intem At what time(s) is the particle at rest?
\intem When is the particle moving in the positive direction?
\intem At what times is the particle speeding up?
\end{enumerate}
```

### \end{frame}

### \begin{frame}

```
\large Given on the board are the graphs of the {\bf velocity} functions of two particles. For each particle, answer the following questions. \vskip 15pt
```

```
\begin{enumerate}[a)]
  \item When is it speeding up? When is it slowing down?
  \item When is it moving in the positive direction?
  \item When is it at rest?
  \end{enumerate}
```

### \end{frame}

### \begin{frame}

```
\large The cost, in dollars, of producing x yards of a certain fabric is $C(x)=1300+14x-0.1x^2+.0005x^3$.
\vskip 15pt
```

```
\begin{enumerate}[a)]
\item Find the marginal cost function.
\item Find $C'(300)$. This is the rate at which costs are increasing
with respect to the production level. Use $C(300)$ and $C'(300)$ to
estimate $C(301)$.
\item Find the actual value of $C(301)$ and compare.
\end{enumerate}
```

### \end{frame}

### \begin{frame}

```
\large If a ball is thrown vertically upward with a velocity of 128 ft/s,
then its height after $t$ seconds is $s = 128t - 16t^2$ ft.
\vskip 15pt
```

```
\tegin{enumerate}[a)]
\tem What is the velocity and acceleration after $t$ seconds?
\tem What is the maximum height reached by the ball?
\tem Vskip 15pt
```

```
\item What is the velocity of the ball when it is 240 ft above the ground on its way up? (Consider up to be the positive direction.)
\item What is the velocity of the ball when it is 240 ft above the ground on its way down?
\end{enumerate}
```

## \end{frame}

### \begin{frame}

```
\large Sodium chlorate crystals are easy to grow in the shape of cubes by allowing a solution of water and sodium chlorate to evaporate slowly. \vskip 15pt
```

If V is the volume of such a cube with side length x, calculate the derivative when x = 4 mm. What's the physical interpretation of V'(4), in plain English?

## \end{frame}

# \begin{frame}

```
\large A stone is dropped into a lake, creating a circular ripple that
travels outward at a speed of 60 cm/s.
\vskip 15pt
```

```
\begin{enumerate}[a)]
  \item Find the rate at which the area within the circle is increasing
  after $t$ seconds.
  \item Compare this rate at time $t$ versus time $2t$. That is,
  after twice as much time has passed, how much faster is the area increasing?
  \item When the radius of the circle has doubled, how much has
  the rate $dA/dt$ increased?
\end{enumerate}
```

### \end{frame}

### \begin{frame}

```
\large A spherical balloon is being inflated. Find the rate of increase of the surface area ($S = 4\neq r^2$) with respect to the radius $r$ when $r$ is each of the following. \vskip 15pt
```

```
\begin{enumerate}[a)]
\item 1 ft
\item 5 ft
\item 8 ft
\end{enumerate}
```

### \end{frame}

#### 2025/09/14 05:553/3

## \begin{frame}

```
\large Newton's Law of Gravitation says that the magnitude F of the force exerted by a body of mass M is F = \frac{GmM}{r^2} where G = \frac{GmM}{r^2} where G = \frac{GmM}{r^2} where G = \frac{GmM}{r^2} where G = \frac{GmM}{r^2} is the gravitational constant and G = \frac{GmM}{r^2} is the distance between the bodies. \vskip G = \frac{GmM}{r^2}
```

```
\begin{enumerate}[a)]
   \item Find $dF/dr$.
   \item What's the physical interpretation of $dF/dr$, in plain
   English?
   \item What does the minus sign indicate?
   \end{enumerate}
   \vskip 15pt
```

```
(The value of $G$ depends on the units you're using. In case you're interested, in metric it's $6.67\times 10^{-11} Nm^2/{kg}^2$. Note that $10^{-11}$ is really, really small.)
```

\end{frame}

\end{document} <\nowiki>

From:

https://www2.math.binghamton.edu/ - Department of Mathematics and Statistics, Binghamton University

Permanent link:

×

https://www2.math.binghamton.edu/p/calculus/resources/calculus\_flipped\_resources/derivatives/2.7\_sciences\_tex

Last update: 2014/09/06 03:02